EZZOGENICS
construction solutions

EZZOGENICS Flooring

Catalog selection for:

- Parquet: Burmese Teak, Maple, Oak and Walnut
- Sustainable Cork and Bamboo
- Outdoor: Chengal Wood, Wood Plastic and Carbonised Bamboo Decking
- Vinyl Roll and Tiles
- Carpet Tiles
- Sports Flooring

EZZOGENICS
construction solutions

Welcome to Ezzogenics Flooring. Our collection spans a spectrum of materials and designs, ensuring that you find the perfect fit for your residential, commercial, and recreational areas.

Discover the timeless elegance of parquet wood designs. Or consider sustainable flooring alternatives such as cork and bamboo. Experience the unique beauty of cork or explore the versatility of bamboo.

Otherwise, our vinyl flooring offers captivating designs, making maintenance a breeze for those seeking a harmonious blend of aesthetics and functionality.

For the office, step onto our plush carpet options, crafted to create a haven for relaxation and rejuvenation.

For the outdoors, you are spoilt for choice with durable and weather-resistant Wood Plastic Composite or Carbonised Bamboo decking.

With a dedication to quality, aesthetics, and sustainability, we invite you to explore our diverse offerings.

Qualifications:

- BCA General Builder (GB2)
- BCA Interior Decoration and Finishing Works (CR06)
- BCA Facade Inspection Certificate
- BizSAFE Level 3
- Boom Lift and Scissor Lift Operations
- EMA Registered LEW
- HDB Registered Contractor (HB-095474D)
- IRATA Rope Access
- Manage Work-At Height
- SCDF / BCA Fire Safety Manager (FSM)

+65 8535 3868 | +65 6968 3098

Content

EZZOGENICS
construction solutions



Parquet

Burmese Teak,Maple, Oak
and Walnut

Sustainable Cork and Bamboo

Outdoor:

Chengal Wood, Wood Plastic
and Carbonized Bamboo Decking

Vinyl Roll and Tiles

Carpet Tiles

Sports Flooring

+65 8535 3868 | +65 6968 3098

PARQUET

EZZOGENICS
construction solutions

Imagine entering your home or office and being greeted by the sheer beauty and warmth of natural hardwood parquet flooring. It's not just flooring; it's an art form that elevates your surroundings to an entirely new level. Whether designing a luxurious home, high-end retail or a premium corporate environment, hardwood parquet creates warmth and brings beauty to your living space.

Burmese Teak

Maple

Oak

Walnut

+65 8535 3868 | +65 6968 3098

Types of Varnish commonly used

Standard Grade Sparco Matt / Satin Melamine Varnish



The entry-level type of varnish would be Sparco's Melamine oil-based varnish with the choice of matt, satin or gloss surface finish. It is specially formulated to create a strong and durable finish.

Premium Grade BONA MEGA (Water-Based Varnish)

Bona Mega®, a Swedish premium import, is a water-based floor finish with an oxygen-crosslinking polyurethane formula. Use this hardwood floor finish on heavy traffic floors. Natural wood colour enhances the beauty of the wood.

Standard Grade Sparco Matt / Satin Water-based Varnish

Water-based or oil-based varnish is different in selecting the type of carrier. Both contain acrylic resins, melamine, polyurethane and other additives. The main difference is water-based varnish emits a milder odour that is less noxious than the strong smell of oil-based varnish.

Premium Renner / Bona Colour Coating

Wood floor stain color: Transform your floors with a stylish hardwood floor stain. Timeless or trendy? Consider either Bona Drifast or Renner Colour Coatings. Both provide a wide range of hardwood stain varnish outdoors or indoors, suitable for everyone's discerning colour choices.

+65 8535 3868 | +65 6968 3098

Types of Varnish commonly used

Deluxe Grade BONA Domo (Water-based Varnish)

Bona Domo™, a Swedish import, is an easy-to-use, quick-drying, water-based floor finish for residential, light-traffic environments. This hardwood floor finish is a protective one-component formula with low VOCs.

BONA Supersports HD: Sports Halls and Gyms

Premium two-component waterborne wood floor lacquer specifically formulated for professional use on wood sport floors. Bona SuperSport HD provides a tough, high-build polyurethane finish in compliance with the European standard for indoor sports surfaces. Clear, non-yellowing formula.
*Recommended by FIBA for highest level of competition

Bona Stain Colour Chart

for stain varnish of wood flooring



+65 8535 3868 | +65 6968 3098

CORK

EZZOGENICS
construction solutions

Cork Flooring:

Cork is the outer bark of the cork oak(Quercus suber), a noble tree with very special characteristics that grows in the People's Republic of China & in Mediterranean regions. Cork is a decidedly unique material. No other natural synthetic substance presents the particular combination of properties that are found in cork.

- Durable
- Thermal & Acoustic Insulator
- Green
- Comfortable & Elastic
- Fire Resistant
- Easy Installation

Meditian Collection

MD009

MD010

MD011

MD012

MD014

MD017

MD037

Cathian Collection

CT001

CT004

CT025

CT026

CT036


CT039

CT040

+65 8535 3868 | +65 6968 3098

EZZOGENICS
construction solutions

Why choose Ezzo-Cork ?

EZCOS-1000

EZZO-Cork applies a "7 coats" UV-cured satin acrylic coaling system (named EZCOS-1000) to cork flooring as the company's standard coating system for residential and light commercial use. This system shows. the specialties of high wear resistance, high flexibility, and low emission rates that other UV coating systems are hardly able to match.

EZCOS-2000

Besides EZCOS-1000, EZZO-CORK offers & high-quality water basa matte polyurethane. coating system (named EZC 0S-2000) on cork flooring as an ideal solution for extremely high-traffic areas. his system is extremely durable 8nc has excellent scratch and wear resistance. It can be applied to not only the unfinished cork flooring that EZZO-CORK supplies but also the cork flooring pre-finished by EZCOS-1000 even after installation!

NAPRO TEC

By new processing technology (named NAPRO TEC) researched and developed by EZZO-CORK and her associates, the hardness and density of cork parquet files are much more improved than many competitors you could find in the market. Moreover, another benefit of cork parquet flies of NAPRO TEC is to improve the dimensions! stability of tiles.

Custom options

EZZO-CORK provides custom options such as density, dimensions, patterns, color staining, anti-curl treatment & beveling.

R&D

As a professional cork flooring supplier, EZZO-CORK has never stopped being engaged in R&D of new technologies and unique patterns of cork flooring through close cooperation with the foreign leading cork flooring companies and her industrial suppliers.

High quality & outstanding Service

EZZO-CORK supplies high-end cork parquet ties of more than ten exclusive patterns to one important customer. Although these tiles of exclusive patterns. are not acceptable to be supplied to other customers, this Is still a good sign of the high quality and outstanding service that EZZO-CORK presents.

Packing

At EZZO-CORK, cork parquet lis, putting a face to take, are shrinking wrapped in cartons. The advantage of this packing helps to prevent tiles from shape-changing and ties affected by any extreme humidity and temperature conditions during transportation and inventory.

Installing & maintaining

Adhesive, finishes & floor care products for Installing & maintaining cork flooring are also available at EZZO-CORK.

Benefits of Cork and Cork flooring

DURABLE

Cork flooring is normally protected with durable UV-cured acrylic or water-based polyurethane. Sweeping and cleaning using wood floor cleaners is necessary for regular maintenance. A tired floor showing signs of wear will be renewed with a new coat of polyurethane. If properly maintained, your cork floor will last for tens of years.

COMFORTABLE & ELASTIC

Cork provides a comfortable cushioned feel underfoot due to its unique cell structure, especially safe for children and elders. Also. because of this property, recovery from marks caused by furniture will leave minimal residual indentation, less noticeable than on wood, carpet, or vinyl floors. A good example is a cork stopper, when the cork is removed from the bottle, the cork returns to its original shape.

THERMAL AND ACOUSTIC INSULATOR

Cork's structure is very similar to that of a honeycomb: each square centimeter is composed of tens of millions of cells. These cells, as walls as the spaces between them, are filled with a gas mixture similar to air. Hence, cork inhibits the conduction of temperature and sound. Cork floors reduce impact noise, a great asset for applications such as multi-level housing, office spaces, museums, and places of worship. Cork also reduces heat loss and always maintains median temperature. Walking barefoot in your bedroom in the middle of a cold night is a warm, quiet, and comfortable experience.

FIRE RESISTANT

Cork is a fire inhibitor and will not spread flame. Cork also does not release any toxic gases on combustion.

GREEN

Cork is really "green-building" material. When we use the bark, we do not cut down the tree itself. The oak tree is not damaged and the bark has regrows completely. The first cork bark will not be harvested from a tree. until it is up to 30 years old, as only then harvesting only occurs once every ten years and a cork oak can live for more than 150 years, so can be safely harvested at least 13 times during its life cycle. tis a truly. inexhaustible and natural resources.

INSECT REPELLENT AND ANTI-MICROBIAL

An inherent substance of cork, called suberin, is a natural insect repellent. Even termites are kept away. Cork is anti-microbial and is resistant to mold and mildew.

EASY INSTALLATION

The Cork floating floor is self-locking and very easy to install. No glue is needed.

BEVELLING

Cork parquet tiles can be beveled to the customer's special requirements.

+65 8535 3868 | +65 6968 3098

BAMBOO

EZZOGENICS
construction solutions

Bamboo Flooring:

When it comes to building or renovating our homes, finding sustainable and eco-friendly materials has become a top priority for many homeowners. One such material that has gained popularity in recent years is bamboo flooring. Renowned for its beauty, durability, and sustainability, bamboo flooring offers a plethora of benefits that make it an ideal choice for environmentally conscious individuals.

Strand Woven Bamboo Flooring

Natural

Brown Hand Scraped

Chocolate

Indoor /solid Bamboo Flooring

Saw Marking Deep Chesnut

Sew Marking Rustic Granite

Saw Marking Cigar

Embossed Havana Oak

Coral


Grey

Stone Grey

Antique Light Gray

Burly Wood

Antique Chesnut

Embossed Evony Elm

Embossed Warm Oak

Carbonized French Bleed

Wire-Brush Suede

Carbonized

Tiger

SPECIFICATION

Construction: Strand Woven
Dimensions: T&G: (920/ 1850)x(96/132/142)x(12/14)
CLICK: (920/1850)(92/125/135)X(12/14)
Finish: 10-coat scratch resistant finish
Installation: Nail/Staple. glue, float
Warranty: 30-year Residential, 10-Year Light Commercial

+65 8535 3868 | +65 6968 3098

OUTDOOR

Chengal Wood,
Wood Plastic and
Carbonized Bamboo Decking

EZZOGENICS
construction solutions

Chengal Wood

Natural Finish

Dark Walnut

Medium Brown

Wood plastic composite combines the best properties of wood and high-density PE giving you profiles with the natural appearance of the finest species of timber.

Wood Plastic Composite

Solid Decking Profile



WOOD PLASTIC COMPOSITE

+65 8535 3868 | +65 6968 3098

OUTDOOR

Chengal Wood,
Wood Plastic and
Carbonized Bamboo Decking

EZZOGENICS
construction solutions

Middle Carbonized Bamboo decking

Dark Carbonized Bamboo decking





Product	CODE NO.	Picture	MM
MIDDLE CARBONIZED WALL BOARDS	WL1		1860*100*12 2200*100*12
MIDDLE CARBONIZED WALL BOARDS	WL2		1860*100*12 2200*100*12

Product	CODE NO.	Picture	MM
DARK CARBONIZED WALL BOARDS	WD1		1860*100*12 2200*100*12
DARK CARBONIZED WALL BOARDS	WD2		1860*100*12 2200*100*12

Middle carbonized Bamboo Decking installed

+65 8535 3868 | +65 6968 3098

VINYL ROLL

EXPLOITER

Structure

1. Hi-Bocare™Coating Layer
2. PVC Wear Layer
3. HD pattern printing Layer
4. High strength glass fibre
5. Strengthening Layer(Solid base)
6. High Level Weaving Backing Layer


BF-ER1601


BF-ER1602


BF-ER1603


BF-ER1604


BF-ER1605


BF-ER1606


BF-ER1607


BF-ER1608


BF-ER1609


BF-ER1610


BF-ER1611


BF-ER1612


BF-ER1613


BF-ER1614


BF-ER1615


BF-ER1616


BF-ER1617


BF-ER1618


BF-ER1619

BF-ER1620

+65 8535 3868 | +65 6968 3098

VINYL ROLL

EZZOGENICS
construction solutions

LEOPOR



BF-ER1601

BF-ER1602

BF-ER1603

BF-ER1604

BF-ER1605



BF-ER1606



BF-ER1607



BF-ER1608

BF-ER1609

BF-ER1610

BF-ER1611



BF-ER1612

+65 8535 3868 | +65 6968 3098

VINYL ROLL

EZZOGENICS
construction solutions

MESSEN

Structure

1. Hi-Bocare™Coating Layer
2. PVC Wear Layer
3. HD pattern printing Layer
4. High strength glass fibre
5. Strengthening Layer(Solid base)
6. High Level Weaving Backing Layer

BF-MS3110

BF-MS3115

BF-MS3107

BF-MS3108

BF-MS3102

BF-MS3101

BF-SA9030

BF-MS3103

BF-SA9030

BF-MS3114

BF-MS3105

BF-MS3116

BF-MS3109

BF-MS3111


BF-MS3106

BF-MS3117

+65 8535 3868 | +65 6968 3098

VINYL ROLL

EZZOGENICS
construction solutions

SIMBA

BF-SA9030

BF-SA9031

BF-SA9030

BF-SA9033

BF-SA9034

BF-SA9035

BF-SA9036

BF-SA9037

BF-SA9018

BF-SA9038

BF-SA9039

BF-SA9040

TERRAZZO


XQ-TR801


XQ-TR802


XQ-TR803


XQ-TR804


XQ-TR805

XQ-TR806

XQ-TR901

XQ-TR903

XQ-TR902

XQ-TR904

+65 8535 3868 | +65 6968 3098

VINYL TILE

EZZOGENICS
construction solutions

CLASSICO CLIC 2

BEAUTY SNOW CC443

SILVER DOLLAR CC192

STARLIGHT CC872

NEW ALMOND CREAM CC716

SOHO GREY CC056

SANDSTORM CC751

FRENCH MAPLE CC820

EURO OAK CC242

WARM CHESTNUT CC042

GLODEN HONEY CC830

EVENING PINE CC214

SUMMER OAK CC422

RUSTIC BROWN CC791

MOSAIC SLATE CC836

SILVER SLATE CC053

CEMENT SLATE CC093

MARBLE SLATE CC701

BAMBOO OAK CC083

+65 8535 3868 | +65 6968 3098

Why use Classico Clic 2?

*** Flexibility of design options**
- available in a large number of colors & styles.

*** Resillience**
- reduces noise & provides underfloor comfort

*** Durability**
- Classico Clic is moisture & stain-resistant, so spills can be easily removed

*** Water resistant**
- a good choice for the kitchen & mudroom

*** Bio-based plasticizer**
- is made from 100% organic raw material

*** Anti-microbial**
- suitable for hospitals, schools as well as kid's nursery rooms

*** Environmental friendly**
- creates no toxin, Classico Clic uses one of the best plasticizers DOTP.

*** Classico clic has passed certification of Floorscore, Green guard & DIBt**

Care and Maintainance

* Maintain regular sweeping, mopping or vacuuming the floor to remove all loose dirt and grit.
* Do not use a vacuum with a bristle beater bar or scrub brushes to avoid scratching the floor.
* Do not use acetone based liquids such as nail polish remover to clean stains. Use a neutral PH cleaner.
* If buffing is needed, use only red buffing pad. Do not use green, black or brown buffing pads.
* Clean liquid spills immediately to prevent the possibility of stains, slips or falls.
* Always use floor protection pads when moving heavy objects across the floor to avoid permanent marks or indentations.
* Avoid using scraping or sharp tools which could remove the wear layer of vinyl.
* Avoid exposure to long period of strong sunlight without protection of shades.

+65 8535 3868 | +65 6968 3098

VINYL TILE

EZZOGENICS
construction solutions

CLASSICO CLIC 4

WINTER WILLOW C4306

WHITE CLOUDE C4763

BEACHWOOD C4816

APPLE CIDER OAK C4910A

MAPLE PLANK C4510

RARE VNTAGE C4204

WESTERN PINE C4836

WINE OAK C4803

CINAMON TREE C4073

FRESH OPAL GREY C4197

Why use Classico Clic 4?

* Flexibility of design options - available in a large number of colors & styles.
* Resillience - reduces noise & provides underfloor comfort
* Durability - Classico Clic is moisture & stain-resistant, so spills can be easily removed
* Water resistant - a good choice for kitchen & mudroom
* Bio-based plasticizer is made from 100% organic raw material
* Anti-microbial - suitable for hospitals, schools as well as kid's nursery rooms
* Environmental friendly - creates no toxin, Classico Clic uses one of the best plasticizers DOTP.
* Classico clic has passed certification of Floorscore, Greenguard & DIBt

+65 8535 3868 | +65 6968 3098

CARPET TILE

EZZOGENICS
construction solutions

BOSTON

LIGHT GREY BT01

MID GREY BT04

DARK GREY BT05


YELLOW TULIP BT07

DAYLILY GREY BT03


IRIS ORANGE BT08

CORNFLOWER BLUE BT06


ROSE RED BT09

Specification

STYLE NAME:	**BOSTON**
CONSTRUCTION:	Multi-Level loop pile
YARN:	100% Nylon
DYED METHOD:	100% Solution Dyed
GAUGE:	5/64
PILE HEIGHT:	2.5- 6.0mm (+0.5 mm)
PILE WEIGHT:	18 oz/yd^2
BACKING:	PVC with Glass Fiber
PRODUCT SIZE:	50cm x 50cm
PACKING:	20 PCS
RADIANT PANEL:	Passes (ASTM E 648) Class 1
SMOKE DENSITY:	Passes (ASTM E 662) less than 450
STATIC PROPENSITY:	Passes (AATCC-134) less than 3.5 kv
STATIC CONTROL:	Life - of - the carpet static protection
SINGAPORE GREEN LABEL:	039-025-2280
WARRANTY:	10-Year Carpet Wear Warranty (*T&C apply)

+65 8535 3868 | +65 6968 3098

COLORBEAT PLANK

YELLOW SUBMARINE CP03



GREEN GRASS CP05

JAZZ BLUE CP06



SILVER NIGHT CP13

DARK CLOUD CP04



SIMPLY RED CP03



Specification

STYLE NAME:	**COLORBEAT PLANK**
CONSTRUCTION:	Multi-Level loop pile
YARN:	100% Nylon 6
DYED METHOD:	100% Solution Dyed
GAUGE:	1/12"
PILE HEIGHT:	3.5mm (+0.5 mm)
TOTAL THICKNESS:	6.5mm (+0.5 mm)
PILE WEIGHT:	650 g/m2
TOTAL WEIGHT:	4800 g/m2
TILE BACKING:	PVC with Glass Fiber
PRIMARY BACKING CLOTH:	Non-woven Polyester Spunbonded
TILE SIZE:	25cm x 100cm
PACKING:	20 PCS
RADIANT PANEL:	Passes (ASTM E 648) Class 1
SMOKE DENSITY:	Passes (ASTM E 662) less than 450
STATIC PROPENSITY:	Passes (AATCC-134) less than 3.5 kv
SINGAPORE GREEN LABEL:	039-025-2280
WARRANTY:	10-Year Carpet Wear Warranty (*T&C aaply)

+65 8535 3868 | +65 6968 3098

SPORTS FLOORING

We offer a comprehensive range of rubber-based products tailored to your requirements. Our diverse selection encompasses rubber flooring, sports vinyl installations, gym floors suitable for commercial and home settings, heavy-duty gym flooring, dance floors, and cushioned landing surfaces.

Our gym and dance flooring solutions prioritize exceptional shock absorption, noise reduction, and slip resistance, guaranteeing optimal performance during workouts and dance routines. Our interlocking gym and dance tiles provide versatile options to fit any space for added versatility and customisation.

Gym Rubber Mat



*** interlocking designs are available.**

Size: 485*485mm or 985*985mm





Economy Type: Fine surface, coarse bottom

Item No.	ZCPN10-C	ZCPE15-C	ZCPE20-C	ZCPE25-C	ZCPE30-C	ZCPE40-C	ZCPE50-C
Type:	All using fine particles				Fine surface, coarse bottom		
Size	50*50CM OR 100*100CM						
Thickness	10mm	15mm	20mm	25mm	30mm	40mm	50mm
Bottom Design	Flat or Groove						

+65 8535 3868 | +65 6968 3098

SPORTS FLOORING

Rubber Flooring



* interlocking designs are available.
Size: 50*50cm/60*60cm/100*100cm
Thickness: 5-12mm



* interlocking designs are available.
Size: 485*485mm or 985*985mm





+65 8535 3868 | +65 6968 3098

SPORTS FLOORING

EZZOGENICS
construction solutions

Playground Rubber Mat



Yoga Mat



Material	NBR	TPE	PVC	PU
Size	122*61*1cm 183*61*1cm 183*61*1.5cm 183*80*1cm 183*80*1.5cm 183*90*1cm 183*90*1.5cm	1830mm*610mm*8mm 1830mm*610mm*10mm 1850mm*800mm*8mm 1830mm*610mm*10mm	183*68*0.45cm 183*68*0.5cm	61*173*0.3cm 61*173*0.4cm 61*173*0.5cm 61*173*0.6cm 61*173*0.8cm



+65 8535 3868 | +65 6968 3098

SPORTS FLOORING

EZZOGENICS
construction solutions

Sports EVA Mat





Judo Mat

Baby Play Mat



+65 8535 3868 | +65 6968 3098

EZZOGENICS
construction solutions

EZZOGENICS Flooring

Contact us

Ezzogenics Pte Ltd

david@ezzogenics.com

flooring-singapore.com | www.woodfloor.com.sg

+65 8535 3868

+65 6968 3098

Bartley Biz Centre
Blk 15 Kaki Bukit Rd 4, #01-44, S 417808

Other services we provide

- Electrical Services
- Commercial & Residential Services
- Carpentry & Furniture Restoration
- Work-at-height
- Waterproofing
- Painting
- Marble and terrazzo polishing
- Glass & Metal works
- Court markings

Learn more about us

ezzogenics.com | wefix.sg