

EZZOGENICS Flooring



Catalog selection for:

- Parquet: Burmese Teak, Maple, Oak and Walnut
- Sustainable Cork and Bamboo
- Outdoor: Chengal Wood, Wood Plastic and Carbonised Bamboo Decking
- Vinyl Roll and Tiles
- Carpet Tiles
- Sports Flooring

Welcome to Ezzogenics Flooring. Our collection spans a spectrum of materials and designs, ensuring that you find the perfect fit for your residential, commercial, and recreational areas.

Discover the timeless elegance of parquet wood designs. Or consider sustainable flooring alternatives such as cork and bamboo. Experience the unique beauty of cork or explore the versatility of bamboo.

Otherwise, our vinyl flooring offers captivating designs, making maintenance a breeze for those seeking a harmonious blend of aesthetics and functionality.

For the office, step onto our plush carpet options, crafted to create a haven for relaxation and rejuvenation.

For the outdoors, you are spoilt for choice with durable and weather-resistant Wood Plastic Composite or Carbonised Bamboo decking.

With a dedication to quality, aesthetics, and sustainability, we invite you to explore our diverse offerings.



Qualifications:

- ✓ BCA General Builder (GB2)
- ✓ BCA Interior Decoration and Finishing Works (CR06)
- ✓ BCA Facade Inspection Certificate
- ✓ BizSAFE Level 3
- ✓ Boom Lift and Scissor Lift Operations
- ✓ EMA Registered LEW
- ✓ HDB Registered Contractor (HB-095474D)
- ✓ IRATA Rope Access
- ✓ Manage Work-At Height
- ✓ SCDF / BCA Fire Safety Manager (FSM)

Content



Parquet

Burmese Teak, Maple, Oak
and Walnut




Sustainable Cork and Bamboo



Outdoor:


Chengal Wood, Wood Plastic
and Carbonized Bamboo Decking



Vinyl Roll and Tiles



Carpet Tiles



Sports Flooring

PARQUET

Imagine entering your home or office and being greeted by the sheer beauty and warmth of natural hardwood parquet flooring. It's not just flooring; it's an art form that elevates your surroundings to an entirely new level. Whether designing a luxurious home, high-end retail or a premium corporate environment, hardwood parquet creates warmth and brings beauty to your living space.

Burmese Teak



Maple



Oak



Walnut



Types of Varnish commonly used

Standard Grade Sparco Matt / Satin Melamine Varnish



The entry-level type of varnish would be Sparco's Melamine oil-based varnish with the choice of matt, satin or gloss surface finish. It is specially formulated to create a strong and durable finish.

Premium Grade BONA MEGA (Water-Based Varnish)



Bona Mega®, a Swedish premium import, is a water-based floor finish with an oxygen-crosslinking polyurethane formula. Use this hardwood floor finish on heavy traffic floors. Natural wood colour enhances the beauty of the wood.

Standard Grade Sparco Matt / Satin Water-based Varnish



Water-based or oil-based varnish is different in selecting the type of carrier. Both contain acrylic resins, melamine, polyurethane and other additives. The main difference is water-based varnish emits a milder odour that is less noxious than the strong smell of oil-based varnish.


Premium Renner / Bona Colour Coating



Wood floor stain color: Transform your floors with a stylish hardwood floor stain. Timeless or trendy? Consider either Bona DriFast or Renner Colour Coatings. Both provide a wide range of hardwood stain varnish outdoors or indoors, suitable for everyone's discerning colour choices.

Types of Varnish commonly used

Deluxe Grade BONA Domo (Water-based Varnish)



Bona Domo™, a Swedish import, is an easy-to-use, quick-drying, water-based floor finish for residential, light-traffic environments. This hardwood floor finish is a protective one-component formula with low VOCs.

BONA Supersports HD: Sports Halls and Gyms



Premium two-component waterborne wood floor lacquer specifically formulated for professional use on wood sport floors. Bona SuperSport HD provides a tough, high-build polyurethane finish in compliance with the European standard for indoor sports surfaces. Clear, non-yellowing formula.
*Recommended by FIBA for highest level of competition

Bona Stain Colour Chart
for stain varnish of wood flooring

Bona			
Metropolitan Swatches	Classic Swatches	Essential Swatches	Natural Swatches
GRAPHITE	RED MAHOGONY	SPICE BROWN	GOLDEN OAK
EBONY	EARLY AMERICAN	PROVINCIAL	PURITAN PINE
SEDONA RED	JACOBAN	CHERRY	WHITE
DRIFTWOOD	ANTIQUE BROWN	COCOA	NATURAL
GRAY	TWIG	MEDIUM BROWN	SAND DUNE
ROSEWOOD	SPECIAL WALNUT	NUTMEG	BIRCH
AGED PEWTER		BARK	

Cork Flooring:

Cork is the outer bark of the cork oak(Quercus suber), a noble tree with very special characteristics that grows in the People's Republic of China & in Mediterranean regions. Cork is a decidedly unique material. No other natural synthetic substance presents the particular combination of properties that are found in cork.

- Durable
- Thermal & Acoustic Insulator
- Green
- Comfortable & Elastic
- Fire Resistant
- Easy Installation

Meditation Collection



MD009



MD010



MD011



MD012



MD014



MD017



MD037

Cathian Collection



CT001



CT004



CT025




CT026



CT036



CT039



CT040



Why choose Ezzo-Cork ?

EZCOS-1000

EZZO-Cork applies a "7 coats" UV-cured satin acrylic coating system (named EZCOS-1000) to cork flooring as the company's standard coating system for residential and light commercial use. This system shows the specialties of high wear resistance, high flexibility, and low emission rates that other UV coating systems are hardly able to match.

EZCOS-2000

Besides EZCOS-1000, EZZO-CORK offers & high-quality water based polyurethane coating system (named EZCOS-2000) on cork flooring as an ideal solution for extremely high-traffic areas. This system is extremely durable & has excellent scratch and wear resistance. It can be applied to not only the unfinished cork flooring that EZZO-CORK supplies but also the cork flooring pre-finished by EZCOS-1000 even after installation!

NAPRO TEC

By new processing technology (named NAPRO TEC) researched and developed by EZZO-CORK and her associates, the hardness and density of cork parquet tiles are much more improved than many competitors you could find in the market. Moreover, another benefit of cork parquet tiles of NAPRO TEC is to improve the dimensions! stability of tiles.

Custom options

EZZO-CORK provides custom options such as density, dimensions, patterns, color staining, anti-curl treatment & beveling.

R&D

As a professional cork flooring supplier, EZZO-CORK has never stopped being engaged in R&D of new technologies and unique patterns of cork flooring through close cooperation with the foreign leading cork flooring companies and her industrial suppliers.

High quality & outstanding Service

EZZO-CORK supplies high-end cork parquet tiles of more than ten exclusive patterns to one important customer. Although these tiles of exclusive patterns are not acceptable to be supplied to other customers, this is still a good sign of the high quality and outstanding service that EZZO-CORK presents.

Packing

At EZZO-CORK, cork parquet tiles, putting a face to take, are shrink wrapped in cartons. The advantage of this packing helps to prevent tiles from shape-changing and tiles affected by any extreme humidity and temperature conditions during transportation and inventory.

Installing & maintaining

Adhesive, finishes & floor care products for installing & maintaining cork flooring are also available at EZZO-CORK.

Benefits of Cork and Cork flooring

DURABLE

Cork flooring is normally protected with durable UV-cured acrylic or water-based polyurethane. Sweeping and cleaning using wood floor cleaners is necessary for regular maintenance. A tired floor showing signs of wear will be renewed with a new coat of polyurethane. If properly maintained, your cork floor will last for tens of years.

COMFORTABLE & ELASTIC

Cork provides a comfortable cushioned feel underfoot due to its unique cell structure, especially safe for children and elders. Also, because of this property, recovery from marks caused by furniture will leave minimal residual indentation, less noticeable than on wood, carpet, or vinyl floors. A good example is a cork stopper, when the cork is removed from the bottle, the cork returns to its original shape.

THERMAL AND ACOUSTIC INSULATOR

Cork's structure is very similar to that of a honeycomb: each square centimeter is composed of tens of millions of cells. These cells, as well as the spaces between them, are filled with a gas mixture similar to air. Hence, cork inhibits the conduction of temperature and sound. Cork floors reduce impact noise, a great asset for applications such as multi-level housing, office spaces, museums, and places of worship. Cork also reduces heat loss and always maintains median temperature. Walking barefoot in your bedroom in the middle of a cold night is a warm, quiet, and comfortable experience.

FIRE RESISTANT

Cork is a fire inhibitor and will not spread flame. Cork also does not release any toxic gases on combustion.

GREEN

Cork is really "green-building" material. When we use the bark, we do not cut down the tree itself. The oak tree is not damaged and the bark has regrows completely. The first cork bark will not be harvested from a tree until it is up to 30 years old, as only then harvesting only occurs once every ten years and a cork oak can live for more than 150 years, so can be safely harvested at least 13 times during its life cycle. It is a truly, inexhaustible and natural resource.

INSECT REPELLENT AND ANTI-MICROBIAL

An inherent substance of cork, called suberin, is a natural insect repellent. Even termites are kept away. Cork is anti-microbial and is resistant to mold and mildew.

EASY INSTALLATION

The Cork floating floor is self-locking and very easy to install. No glue is needed.

BEVELLING






Cork parquet tiles can be beveled to the customer's special requirements.

Bamboo Flooring:

When it comes to building or renovating our homes, finding sustainable and eco-friendly materials has become a top priority for many homeowners. One such material that has gained popularity in recent years is bamboo flooring. Renowned for its beauty, durability, and sustainability, bamboo flooring offers a plethora of benefits that make it an ideal choice for environmentally conscious individuals.



Strand Woven Bamboo Flooring

 Natural	 Brown Hand Scraped	 Chocolate	 Indoor /solid Bamboo Flooring	 Saw Marking Deep Chesnut	 Sew Marking Rustic Granite	 Saw Marking Cigar	 Embossed Havana Oak
 Coral	 Grey	 Stone Grey	 Antique Light Gray	 Burly Wood	 Antique Chesnut	 Embossed Evony Elm	 Embossed Warm Oak
 Carbonized French Bleed	 Wire-Brush Suede	 Carbonized	 Tiger	SPECIFICATION Construction: Strand Woven Dimensions: T&G: (920/ 1850)x(96/132/142)x(12/14) CLICK: (920/1850)(92/125/135)X(12/14) Finish: 10-coat scratch resistant finish Installation: Nail/Staple. glue, float Warranty: 30-year Residential, 10-Year Light Commercial			

OUTDOOR

Chengal Wood,
Wood Plastic and
Carbonized Bamboo Decking

Chengal Wood



Natural Finish



Dark Walnut




Medium Brown

Wood plastic composite combines the best properties of wood and high-density PE giving you profiles with the natural appearance of the finest species of timber.

Wood Plastic Composite



Solid Decking Profile



WOOD PLASTIC COMPOSITE




OUTDOOR

Chengal Wood,
Wood Plastic and
Carbonized Bamboo Decking

Middle Carbonized Bamboo decking



Dark Carbonized Bamboo decking



Product	CODE NO.	Picture	MM
MIDDLE CARBONIZED WALL BOARDS	WL1		1860*100*12
			2200*100*12
MIDDLE CARBONIZED WALL BOARDS	WL2		1860*100*12
			2200*100*12

Product	CODE NO.	Picture	MM
DARK CARBONIZED WALL BOARDS	WD1		1860*100*12
			2200*100*12
DARK CARBONIZED WALL BOARDS	WD2		1860*100*12
			2200*100*12

Middle carbonized Bamboo Decking installed




VINYL ROLL


EXPLOITER

Structure


1. Hi-Bocare™ Coating Layer
2. PVC Wear Layer
3. HD pattern printing Layer
4. High strength glass fibre
5. Strengthening Layer(Solid base)
6. High Level Weaving Backing Layer



BF-ER1601




BF-ER1602



BF-ER1603




BF-ER1604




BF-ER1605



BF-ER1606




BF-ER1607




BF-ER1608



BF-ER1609




BF-ER1610




BF-ER1611




BF-ER1612




BF-ER1613




BF-ER1614




BF-ER1615




BF-ER1616



BF-ER1617



BF-ER1618



BF-ER1619



BF-ER1620

VINYL ROLL



LEOPOR




BF-ER1601



BF-ER1602



BF-ER1603




BF-ER1604



BF-ER1605



BF-ER1606



BF-ER1607



BF-ER1608




BF-ER1609



BF-ER1610



BF-ER1611



BF-ER1612

MESSEN

Structure

1. Hi-Bocare™ Coating Layer
2. PVC Wear Layer
3. HD pattern printing Layer
4. High strength glass fibre
5. Strengthening Layer(Solid base)
6. High Level Weaving Backing Layer



BF-MS3110



BF-MS3115



BF-MS3107



BF-MS3108



BF-MS3103



BF-MS3114



BF-MS3102



BF-MS3101



BF-SA9030



BF-SA9030



BF-MS3105




BF-MS3116



BF-MS3109



BF-MS3111



BF-MS3106



BF-MS3117



VINYL ROLL

SIMBA



BF-SA9030



BF-SA9031



BF-SA9030



BF-SA9033



BF-SA9034



BF-SA9035



BF-SA9036



BF-SA9037



BF-SA9018



BF-SA9038




BF-SA9039




BF-SA9040

TERRAZZO




XQ-TR801




XQ-TR802



XQ-TR803



XQ-TR804



XQ-TR805



XQ-TR806



XQ-TR901



XQ-TR903




XQ-TR902



XQ-TR904

CLASSICO CLIC 2

BEAUTY SNOW CC443



SILVER DOLLAR CC192



STARLIGHT CC872



NEW ALMOND CREAM CC716



SOHO GREY CC056



SANDSTORM CC751



FRENCH MAPLE CC820



EURO OAK CC242



WARM CHESTNUT CC042




GLODEN HONEY CC830




EVENING PINE CC214



SUMMER OAK CC422



RUSTIC BROWN CC791



MOSAIC SLATE CC836



SILVER SLATE CC053



CEMENT SLATE CC093



MARBLE SLATE CC701



BAMBOO OAK CC083



Why use Classico Clic 2?

- * **Flexibility of design options**

- available in a large number of colors & styles.

- * **Resilience**

- reduces noise & provides underfloor comfort

- * **Durability**

- Classico Clic is moisture & stain-resistant, so spills can be easily removed

- * **Water resistant**

- a good choice for the kitchen & mudroom

- * **Bio-based plasticizer**

- is made from 100% organic raw material

- * **Anti-microbial**

- suitable for hospitals, schools as well as kid's nursery rooms

- * **Environmental friendly**

- creates no toxin, Classico Clic uses one of the best plasticizers DOTP.

- * **Classico clic has passed certification of Floorscore, Green guard & DIBt**

Care and Maintenance

- * Maintain regular sweeping, mopping or vacuuming the floor to remove all loose dirt and grit.
- * Do not use a vacuum with a bristle beater bar or scrub brushes to avoid scratching the floor.
- * Do not use acetone based liquids such as nail polish remover to clean stains. Use a neutral PH cleaner.
- * If buffing is needed, use only red buffing pad. Do not use green, black or brown buffing pads.
- * Clean liquid spills immediately to prevent the possibility of stains, slips or falls.
- * Always use floor protection pads when moving heavy objects across the floor to avoid permanent marks or indentations.
- * Avoid using scraping or sharp tools which could remove the wear layer of vinyl.
- * Avoid exposure to long period of strong sunlight without protection of shades.

CLASSICO CLIC 4



WINTER WILLOW C4306



WHITE CLOUDE C4763



BEACHWOOD C4816



APPLE CIDER OAK C4910A



MAPLE PLANK C4510



RARE VNTAGE C4204



WESTERN PINE C4836



WINE OAK C4803



CINAMON TREE C4073



FRESH OPAL GREY C4197



Why use Classico Clic 4?


- * Flexibility of design options - available in a large number of colors & styles.
- * Resillience - reduces noise & provides underfloor comfort
- * Durability - Classico Clic is moisture & stain-resistant, so spills can be easily removed
- * Water resistant - a good choice for kitchen & mudroom
- * Bio-based plasticizer is made from 100% organic raw material
- * Anti-microbial - suitable for hospitals, schools as well as kid's nursery rooms
- * Environmental friendly - creates no toxin, Classico Clic uses one of the best plasticizers DOTP.
- * Classico clic has passed certification of Floorscore, Greenguard & DIBt

CARPET TILE

BOSTON




LIGHT GREY BT01




MID GREY BT04



DARK GREY BT05




YELLOW TULIP BT07




DAYLILY GREEN BT03



IRIS ORANGE BT08



CORNFLOWER BLUE BT06



ROSE RED BT09



Specification


STYLE NAME:	BOSTON
CONSTRUCTION:	Multi-Level loop pile
YARN:	100% Nylon
DYED METHOD:	100% Solution Dyed
GAUGE:	5/64
PILE HEIGHT:	2.5- 6.0mm (+0.5 mm)
PILE WEIGHT:	18 oz/yd ²
BACKING:	PVC with Glass Fiber
PRODUCT SIZE:	50cm x 50cm
PACKING:	20 PCS
RADIANT PANEL:	Passes (ASTM E 648) Class 1
SMOKE DENSITY:	Passes (ASTM E 662) less than 450
STATIC PROPENSITY:	Passes (AATCC-134) less than 3.5 kv
STATIC CONTROL:	Life - of - the carpet static protection
SINGAPORE GREEN LABEL:	039-025-2280
WARRANTY:	10-Year Carpet Wear Warranty (*T&C apply)

CARPET TILE


COLORBEAT PLANK



YELLOW SUBMARINE CP03



GREEN GRASS CP05




JAZZ BLUE CP06



SILVER NIGHT CP13



DARK CLOUD CP04



SIMPLY RED CP03



Specification

STYLE NAME:	COLORBEAT PLANK
CONSTRUCTION:	Multi-Level loop pile
YARN:	100% Nylon 6
DYED METHOD:	100% Solution Dyed
GAUGE:	1/12"
PILE HEIGHT:	3.5mm (+0.5 mm)
TOTAL THICKNESS:	6.5mm (+0.5 mm)
PILE WEIGHT:	650 g/m2
TOTAL WEIGHT:	4800 g/m2
TILE BACKING:	PVC with Glass Fiber
PRIMARY BACKING CLOTH:	Non-woven Polyester Spunbonded
TILE SIZE:	25cm x 100cm
PACKING:	20 PCS
RADIANT PANEL:	Passes (ASTM E 648) Class 1
SMOKE DENSITY:	Passes (ASTM E 662) less than 450
STATIC PROPENSITY:	Passes (AATCC-134) less than 3.5 kv
SINGAPORE GREEN LABEL:	039-025-2280
WARRANTY:	10-Year Carpet Wear Warranty (*T&C apply)




SPORTS FLOORING


We offer a comprehensive range of rubber-based products tailored to your requirements. Our diverse selection encompasses rubber flooring, sports vinyl installations, gym floors suitable for commercial and home settings, heavy-duty gym flooring, dance floors, and cushioned landing surfaces.

Our gym and dance flooring solutions prioritize exceptional shock absorption, noise reduction, and slip resistance, guaranteeing optimal performance during workouts and dance routines. Our interlocking gym and dance tiles provide versatile options to fit any space for added versatility and customisation.

Gym Rubber Mat



* interlocking designs are available.
Size: 485*485mm or 985*985mm




Economy Type: Fine surface,
coarse bottom


Item No.	ZCPN10-C	ZCPE15-C	ZCPE20-C	ZCPE25-C	ZCPE30-C	ZCPE40-C	ZCPE50-C
Type:	All using fine particles				Fine surface, coarse bottom		
Size	50*50CM OR 100*100CM						
Thickness	10mm	15mm	20mm	25mm	30mm	40mm	50mm
Bottom Design	Flat or Groove						





Rubber Flooring



* interlocking designs are available.
Size: 50*50cm/60*60cm/100*100cm
Thickness: 5-12mm




* interlocking designs are available.
Size: 485*485mm or 985*985mm



*Plastic connections are available.

Playground Rubber Mat



Yoga Mat




Material	NBR	TPE	PVC	PU
Size	122*61*1cm 183*61*1cm 183*61*1.5cm 183*80*1cm 183*80*1.5cm 183*90*1cm 183*90*1.5cm	1830mm*610mm*8mm 1830mm*610mm*10mm 1850mm*800mm*8mm 1830mm*610mm*10mm	183*68*0.45cm 183*68*0.5cm	61*173*0.3cm 61*173*0.4cm 61*173*0.5cm 61*173*0.6cm 61*173*0.8cm



SPORTS FLOORING

Sports EVA Mat



Judo Mat



Baby Play Mat





EZZOGENICS Flooring

Contact us

Ezzogenics Pte Ltd

✉ david@ezzogenics.com

🌐 flooring-singapore.com | www.woodfloor.com.sg

📞 +65 9632 0750

☎ +65 6968 3098

📍 Bartley Biz Centre
Blk 15 Kaki Bukit Rd 4, #01-44, S 417808

Other services we provide

- Electrical Services
- Commercial & Residential Services
- Carpentry & Furniture Restoration
- Work-at-height
- Waterproofing
- Painting
- Marble and terrazzo polishing
- Glass & Metal works
- Court markings

Learn more about us

ezzogenics.com | wefix.sg